


SECURITY SOLUTIONS


ABOUT


Alco is one of the leading intelligent solution providers of Fire Detection System and Security System in the United States of America. Based in California since 1992, we have grown to deliver the most innovative building management solutions (BMS) for commercial and industrial establishments around the globe.


Alco is committed to deliver effective solutions that can help our customers. Our supplied products are designed to cater our customers in the most effective manner and we take that responsibility very seriously.

Our smart and effective Building Solutions has given us an opportunity to diversify and explore new business opportunity in the market and we are extremely delighted to penetrate successfully in various large and medium scale projects.











STATE OF THE ART HIGH DEFINITION





















A|CQ AI 5GSERIES

H.265⁺5G AI PRO BULLET LITE CAMERA (2/8 MP)

5G / H.265+ / 3 Axis Mechanical Design / PoE & DC / 3 IN 1 SUPER WDR

ONVIFIGUST

KEY FEATURE

- Al Deep Learning
- 5G Technology
- 4X/12X Optical Zoom, Auto Focus
- 0.002Lux Starlight
- 3 in 1 Super WDR 14dB
- 100fps High Frame Rate
- Smart IR with 150m IR Distance
- Integrated Junction Box



Model		AIS-NC2966-X12R(T)GPC	AIS-NC8266-X4GPC	
Megapixel		2MP	4K	
Image Sensor		1/2.8 Progressive Scan CMOS	1/2.8 Progressive Scan CMOS	
Lens		5.3~64mm, 12X Optional Zoom	8~32mm, 4X Optional Zoom	
Field of View	H61° ~ H5° / D69° ~ D5° / V36° ~ V2°		H44° ~ H13° / D51° ~ D15° / V25° ~ V7°	
Max. Frame Rate		60fps@(1920 x 1080)	30fps@(3840 x 2160)	
Mobile Communication		Support 5G/4G/3G	Support 5G/4G/3G	
Wireless Communication		n1/n2/n3/n5/n7/n8/n12/n66/n71/n77/n79	n1/n2/n3/n5/n7/n8/n12/n66/n71/n77/n79	
Frequency Bands	5G	DL 3.3Gbps: UL 250Mbps	DL 3.3Gbps: UL 250Mbps	
Wireless Transmission Speed	SA	DL 3.4Gbps: UL 200Mbps	DL 3.4Gbps: UL 200Mbps	
SIM Card	NSA	Nano Sim	Nano Sim	
Protocol	IPv4/IPv6,ARP,TCP,UDP,RTCP,RTP,RTSP,RTMP,HTTP,HTTPS,DNS,DDNS,DHCP,FTP,NTP,SMTP,SNMP,UPnP,Bonjour,SIP,PPPoE,VLAN,802.1x,QoS,IGMP,ICMP,SSL			
Dimensions/Weight		320mm X 134mm X 126mm/1608G	320mm X 134mm X 292mm/1608G (5G Antennas)	

H.265⁺5G AIOT PRO BULLET LITE CAMERA (2/8 MP)

5G / IoT/ H.265+ / 3 Axis Mechanical Design / PoE&DC / 3 IN 1 SUPER WDR

KEY FEATURE

- Al Deep Learning

- 5g Technology

- 0.002Lux Starlight

- 4X/12X Optical Zoom, Auto Focus

- 3 in 1 Super WDR - 14dB

- 100fps High Frame Rate

- Smart IR with 150m IR Distance

- Integrated Junction Box



Model	AIS-NC2966-X12R(T)GOPC		AIS-NC8266-X4GOPC	
Megapixel	2MP		4K	
Image Sensor		1/2.8 Progressive Scan CMOS	1/2.8 Progressive Scan CMOS	
Lens		5.3~64mm, 12X Optional Zoom	8~32mm, 4X Optional Zoom	
Field of View		H61° ~ H5° / D69° ~ D5° / V36° ~ V2°	H44° ~ H13° / D51° ~ D15° / V25° ~ V7°	
Max. Frame Rate	60fps@(1920 x 1080)		30fps@(3840 x 2160)	
Mobile Communication	Support 5G/4G/3G		Support 5G/4G/3G	
Wireless Communication	n1/n2/n3/n5/n7/n8/n12/n66/n71/n77/n79		n1/n2/n3/n5/n7/n8/n12/n66/n71/n77/n79	
Frequency Bands	5G	DL 3.3Gbps: UL 250Mbps	DL 3.3Gbps: UL 250Mbps	
Wireless Transmission Speed	SA	DL 3.4Gbps: UL 200Mbps	DL 3.4Gbps: UL 200Mbps	
SIM Card	NSA	Nano Sim	Nano Sim	
Oputput Power	27 dBm Max		27 dBm Max	
Sensitivity	-14dBm Sensitivity @292bps		-14dBm Sensitivity @292bps	
Protocol	IPv4/IPv6,ARP,TCP,UDP,RTCP,RTP,RTSP,RTMP,HTTP,HTTPS,DNS,DDNS,DHCP,FTP,NTP,SMTP,SNMP,UPnP,Bonjour,SIP,PPPoE,VLAN,802.1x,QoS,IGMP,ICMP,SSL			
Communication Range	15km		15km	

Communication Range 15km 15k



