


SECURITY SOLUTIONS


ABOUT


Alco is one of the leading intelligent solution providers of Fire Detection System and Security System in the United States of America. Based in California since 1992, we have grown to deliver the most innovative building management solutions (BMS) for commercial and industrial establishments around the globe.


Alco is committed to deliver effective solutions that can help our customers. Our supplied products are designed to cater our customers in the most effective manner and we take that responsibility very seriously.

Our smart and effective Building Solutions has given us an opportunity to diversify and explore new business opportunity in the market and we are extremely delighted to penetrate successfully in various large and medium scale projects.












NETWORK VIDEO RECORDER

4K H.265 VCA ANPR



Plug and Play

Passing electric power along with video/audio/data to the camera over one single cable

Compact and Discreet Design





VERSATILE STORAGE CHOICES

Abundant Storage Way

Multiple storage capacity and various storage types

NAS Network Attached Storage

Supporting 8 NAS at most to store files and snapshots

Dividing disks into different groups for different storage needs of recorded files



BETTER PLAYBACK EXPERIENCE

Transcoding

Transcoding the recorded stream parameters into a smaller one

Dual Stream Recording

Recording in Primary + Secondary Stream synchronously










GUARANTEED DATA SECURITY

N+1 Hot Spare

A failover mechanism to provide reliability in system

ANR ANR

Automatic Network Replenishment for reliable and flexible storage





Robust Operation System

No default password and several security questions ensure a stable operation system





















USER-FRIENDLY DESIGN

User-friendly Design

User-friendly logic into the operation UI of the NVR series





COMPREHENSIVE INTEGRATION

Comprehensive Integration

ONVIF & extensive compatibility with third-party devices





SMART FUNCTIONS

VA ALCO VCA

ANPR

Realizing a complete traffic monitoring back-end management system








EXQUISITE STRUCTURE DESIGN

Versatile Interfaces



POE NVR SERIES 4K H265

Linux os Embedded / Online Upgrade / Nas & HDD

KEY FEATURE

- 4* PoE Plug and Play
- Up to 10TB Storage
- Up to 8-CH Video Input
- Up to 4K Decoding Performance
- 6 Dual Stream Recording
- Smart VCA Management
- Enterprise ANPR Management







Model	AIS-NR1004-UPC	AIS-NR1008-UPC			
Network Video Input	4-CH	8-CH			
Incoming / Outgoing	40 Mbps / 40 Mbps	80 Mbps / 80 Mbps			
Decoding Capacity	1*(30fps @ 8MP) 4*(30fps @ 1080P)	1*(30fps @ 8MP) 4*(30fps @ 1080P)			
Recording Resolution	8MP / 6MP / 5MP / 4 MP / 3 MP / 1080P / UXGA / 720P / D1 / VGA / QCF	8MP / 6MP / 5MP / 4 MP / 3 MP / 1080P / UXGA / 720P / D1 / VGA / QCF			
Video Compression	H.265+ / H.265(HEVC)/H.264+/H.264 H.265+ / H.265(HEVC)/H.264+/H.264				
Storage	1*SATA HDD(3.5"): Up to 10TB Capacity for each HDD	1*SATA HDD(3.5"): Up to 10TB Capacity for each HDD			
Network Interface	1*RJ45 10M / 100M	1*RJ45 100M / 1000M			
USB Interface	2*USB 2.0	2*USB 2.0			
PoE Interface	4*RJ45 10M / 100M	4*RJ45 10M / 100M			
Protocol	IPv4, IPv6, TCP, UDP, RTP, RTSP, RTCP, HTTP, DNS, DDNS, DHCP, NTP, SNTP, SMTP, SNMP, UPnP, NFS				
Dimensions/Weight	220mm (W) X 200mm (D) X 43.6mm (H) / 0.2KG	220mm (W) X 200mm (D) X 43.6mm (H) / 0.2KG			

POE NVR SERIES 4K H265

Linux os Embedded / Online Upgrade / Nas & HDD

KEY FEATURE

- 24* PoE Plug and Play
- Up to 4* 10TB Storage
- Up to 32-CH Video Input
- Up to 4K Decoding Performance

- Enterprise ANPR Management

- Multi-Screen Output
- Smart VCA Management











440mm(W)X320mm(D)X66.8mm(H)/ 5.0KG

Model	AIS-NR5008-UPC	S-NR5008-UPC AIS-NR5016-E / UPT		AIS-NR7032-UPH			
Network Video Input	8-CH	16-CH	16-CH	32-CH			
Incoming / Outgoing	80 Mbps / 80 Mbps	80 Mbps / 50 Mbps	160 Mbps / 160 Mbps	256 Mbps / 200 Mbps (When RAID is enabled)			
Decoding Capacity	1*(30fps @ 8MP) 4*(30fps @ 1080P)	1*(30fps @ 8MP) 6*(30fps @ 1080P)	4*(30fps @ 8MP) 16*(30fps @ 1080P)	4*(30fps @ 8MP) 16*(30fps @ 1080P)			
Recording Resolution	8MP/6MP/5MP/4 MP/3 MP/1080P/UXGA/720P/D1/VGA/QCF 12MP/8MP/6MP/5MP/4 MP/3 MP/1080P/UXGA/720P/D1/VGA/G						
Video Compression	H.265+ / H.265(HEVC)/H.264+/H.264						
Storage	2*SATA HDD(3.5"): Up t	o 10TB Capacity for each HDD	4*SATA HDD(3.5"): Up to 10TB Capacity for each HDD				
Network Interface	1*RJ45 100M / 1000M	1*RJ45 100M / 1000M 1*RJ45 100M / 1000M		24*RJ45 100M / 1000M			
USB Interface	2*USB 2.0	1*USB 3.0: 2*USB 2.0	1*USB 3.0: 2*USB 2.0	1*USB 3.0: 2*USB 2.0			
PoE Interface	8*RJ45 10M / 100M	16*RJ45 10M / 100M	16*RJ45 10M / 100M	24*RJ45 10M / 100M			
Protocol	IPv4, IPv6, TCP, UDP, RTP, RT	IPv4, IPv6, TCP, UDP, RTP, RTSP, RTCP, HTTP, DNS, DDNS, DHCP, NTP, SNTP, SMTP, SNMP, UPnP, NFS					
Dimensions/Weight		ble Chassies (1.0U)	Rock Mountable Chassies (1.5U) 440mm(W)X320mm(D)X66.8mm(H)/ 5.0KG				

380mm(W)X317.6mm(D)X51.8mm(H)/ 2.6KG

POE MINI NVR SERIES 4K H265

Linux os Embedded / Online Upgrade / Nas & HDD

KEY FEATURE

- 4* PoE Plug and Play
- Up to 10TB Storage
- Up to 8-CH Video Input
- Up to 4K Decoding Performance
- 6 Dual Stream Recording
- Smart VCA Management
- Enterprise ANPR Management



Model	AIS-NR1004-UC	AIS-NR1008-UC		
Network Video Input	4-CH 8-CH			
Incoming / Outgoing	40 Mbps / 40 Mbps 80 Mbps 80 Mbps / 80 Mbps			
Decoding Capacity	1*(30fps @ 8MP) 4*(30fps @ 1080P)	P) 4*(30fps @ 1080P) 1*(30fps @ 8MP) 4*(30fps @ 1080P)		
Recording Resolution	8MP / 6MP / 5MP / 4 MP / 3 MP / 1080P / UXGA / 720P / D1 / VGA / CIF / QCF			
Video Compression	H.265+ / H.265(HEVC)/H.264+/H.264 H.265+ / H.265(HEVC)/H.264+/H.264			
Storage	1*SATA HDD(3.5"): Up to 10TB Capacity for each HDD 1*SATA HDD(3.5"): Up to 10TB Capacity for each HDD			
Network Interface	1*RJ45 10M / 100M 1*RJ45 100M / 1000M			
USB Interface	2*USB 2.0 2*USB 2.0			
PoE Interface	4*RJ45 10M / 100M	4*RJ45 10M / 100M		
Protocol	IPv4, IPv6, TCP, UDP, RTP, RTSP, RTCP, HTTP, DNS, DDNS, DHCP, NTP, SNTP, SMTP, SNMP, UPnP, NFS			
Dimensions/Weight	220mm (W) X 200mm (D) X 43.6mm (H) / 0.2KG			

POE NVR SERIES 4K H265

Linux os Embedded / Online Upgrade / Nas & HDD


KEY FEATURE

- 24* PoE Plug and Play
- Up to 4* 10TB Storage
- Up to 32-CH Video Input
- Up to 4K Decoding Performance

- Enterprise ANPR Management

- Multi-Screen Output







Model	AIS-NR5008-UC	AIS-NR5016-UT	AIS-NR7016-UH	AIS-NR7032-UH	AIS-NR8032-UH	AIS-NR8064-UH
Network Video Input	8-CH	16-CH	16-CH	32-CH	32-CH	64-CH
Incoming / Outgoing	80Mbps-80Mbps	80Mbps-50Mbps	160 Mbps-160 Mbps	256 Mbps-200 Mbps	265 Mbps-200 Mbps	320 Mbps-200 Mbps
Decoding Capacity	1*(30fps @ 8MP) 4*(30fps @ 1080P)	1*(30fps @ 8MP) 6*(30fps @ 1080P)	4*(30fps @ 8MP) 16*(30fps @ 1080P)	4*(30fps @ 8MP) 16*(30fps @ 1080P)	4*(30fps @ 8MP) 16*(30fps @ 1080P)	4*(30fps @ 1080P) 16*(30fps @ D1)
Recording Resolution	8MP/6MP/5MP/4 MP/3 MP/1080P/UXGA/720P/D1/VGA/QCF 12MP/8MP/6MP/5MP/4 MP/3 MP/1080P/UXGA/720P/D1/VGA/QC				A / 720P / D1 / VGA / QCF	
Video Compression	H.265+ / H.265(HEVC)/H.264+/H.264		H.265+ / H.265(HEVC)/H.264+/H.264		H.265+ / H.265(HEVC)/H.264+/H.264	
Storage	2*SATA HDD(3.5"): Up to 10TB HDD		4*SATA HDD(3.5"): Up to 10TB HDD		8*SATA HDD(3.5"): 1* eSATA Up to 10TB HDD	
Network Interface	1*RJ45 100M / 1000M		2*RJ45 100M / 1000M		2*RJ45 100M / 1000M	
USB Interface	2*USB 2.0	1*USB 3.0: 2*USB 2.0	1*USB 3.0: 2*USB 2.0 1*USB 3.0: 2*USB 2.0		2*USB 2.0	
PoE Interface	4*RJ45 10M / 100M		4*RJ45 10M / 100M		2*RJ45 10M / 100M / 1000M	
Protocol	IPv4, IPv6, TCP, UDP, RTP, RTSP, RTCP, HTTP, DNS, DDNS, DHCP, NTP, SNTP, SMTP, SNMP, UPnP, NFS					
Dimensions/Weight	Rock Mountable Chassies (1.0U) 380mm(W)X317.6mm(D)X51.8mm(H)/ 1.9KG		Rock Mountable Chassies (1.5U) 440mm(W)X320mm(D)X66.8mm(H)/ 4.1KG		Rock Mountable Chassies (2.0U) 440mm(W)X420mm(D)X88.2mm(H)/ 6.0KG	



■ LIVE VIEW / PLAYBLACK / ELECTRONIC MAP

KEY FEATURES

- · Central Management System
- · Fully Integrated with Alco network cameras & NVR's
- Comprehensive Management via IP/Domains,P2P and Alco DDNS
- · H.265/H.264 video compression
- Support Multiple Monitors (up to-64ch each monitor)
- Support up to 256 devices
- Support two-layer E-map
- · Alco VCA Functions
- Support all functions like ANPR solution, heat map and Auto tracking, etc.





H.265 & H.264 / CUSTOMIZED STRRAM PARAMETERS / DUAL STREAM

KEY FEATURES

- · Simultaneously Manage Alco Network Cameras and NVR's
- · Support Client-side De-warping for fisheye Camera
- Support PTZ control and white led control in live view
- Up to 64-ch Simultaneous live view and 4-ch playback
- · Add Devices via IP/Domains, P2P and Alco DDNS
- · Transcoding to get better payback performance
- Support alarm video push notification
- One click to deliver Alarm output
- · One click to quick playback & playback with NAS, SD card files and HDD files
- · Backup the Captured images and recorded videos locally for monitoring
- Support up-to 16X digital zoom





ALCO SMART TOOLS

SEARCH / CONFIGURATION / CALCULATION

KEY FEATURES

- · Unified Management for network cameras and NVR's
- · Batch settings for Alco devices
- · Online batch upgrade for Alco devise
- Fast, comprehensive and powerful calculations ntral Management System









NVR TOOLS





NETWORK CONNECTION / LED SCREEN DISPLAY / EASY TO USE

KEY FEATURES

- Easy connection and control of Alco NVR's and PTZ cameras
- Support 4-axis variable speed joystick and shuttle
- Support to control up to 110 devices
- Short cut key for PTZ control and NVR control
- · Short cut key for recording and playback control
- · Shortcut key for light control operations
- Built-in web server



